

EP 04 52204



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

REC'D 08 OCT 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03445114.6

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk

BEST AVAILABLE COPY



Anmeldung Nr:
Application no.: 03445114.6
Demande no:

Anmeldetag:
Date of filing: 15.10.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Sony Ericsson Mobile Communications AB

221 88 Lund
SUEDE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se referer à la description.)

Device having a joystick keypad

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G06F3/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

DEVICE HAVING A JOYSTICK KEYPAD

Field of the invention

5 The present invention relates to a device having a joystick keypad, and more particularly a device having means for replacing or complementing an ordinary physical keypad by a joystick and preferably two function keys. A special menu of soft keys is presented when the user activates a function key. The soft keys are selected by means of the joystick.

10 State of the art

Mobile phones and other handheld devices tend to be built increasingly smaller. Thus, there is limited space available for a keypad with physical keys. In the past, this has been solved by making the keys very small. Then, the keys are very difficult to operate with a finger or with a pointed stylus. Another solution was to make the whole keypad retractable into the device. This is a mechanically complicated and costly solution. Still another solution was to make the display touch sensitive, a so called touch screen combining the display with the keypad. However, touch screens are expensive.

20 Devices having joysticks for moving and selecting a cursor in a menu for playing games or otherwise operating the devices are previously known. It is possible to display the keypad with all twelve keys in a menu and to select the desired number by means of the joystick. However, it is not considered user-friendly to have to move the cursor through such a large menu, e.g. when dialling a telephone number or entering text.

25

Summary of the invention

The present invention solves this problem by replacing or complementing the ordinary keypad with a joystick and function key means only. Operating the function key means causes a mini-menu of soft keys to be displayed. The soft keys are then selected by means of the joystick.

30 In accordance with the invention, there is provided a device comprising display means for displaying images relating to the operation of the device and control means for controlling the display means by means of a layered menu structure, and a joystick for moving a cursor in menus and making selections.

35 According to the invention the device further comprises a function key means, wherein the control means is adapted to command display of a minimenu of soft keys in response to operation of the function key means, said soft keys being selectable by means of the joystick.

Preferably, the function key means is adapted to be operated into a number of

states, each state being associated with a different minimenu.

Suitably, the number of states is three, and each minimenu comprises four soft keys.

5 In one embodiment said minimenus in total comprise at least twelve keys. Suitably, said keys comprise the numbers 0-9 and * and #.

Preferably, each soft key has several functions selectable by means of the joystick.

The joystick may be adapted to be operated several times in the same direction for selecting different functions of the same soft key.

10 Preferably, the joystick and the function key means are located on the device such that the joystick is suitable for operating with one hand, and the function key means is suitable for operating with the other hand.

In one embodiment, the function key means is second joystick, and the function key joystick may have at least three selectable states.

15 Preferably, the joystick is located on the same side as the display, and the function key joystick is located on a side at a right angle to the display.

In another embodiment, the function key means is a displaceable multipole key, and the multipole key may have at least three selectable states.

20 Preferably, the joystick is located on the same side as the display, and the multipole key is located on a side at a right angle to the display.

In a further embodiment, the function key means comprises a separate press button, preferably at least two separate press buttons.

Preferably, the press buttons together have at least three selectable states.

25 In a preferred embodiment, the press buttons together have three selectable states, a first state by pressing a first button, a second state by pressing a second button, and a third state by pressing both the first button and the second button simultaneously.

30 Suitably, the joystick is located on the same side as the display, and in that two separate press buttons are located on opposite sides at a right angle to the display.

The device may be a portable telephone, a pager, a communicator, a smart phone, a game device, an electronic organiser, an MP3 players or a computer.

Brief description of the drawings

35 The invention will be described in detail below with reference to the accompanying drawings, in which:

fig. 1 is a front view of a small mobile phone according to the invention,

figs. 2A, B and C are front views of the telephone in fig. 1 showing different minimenus,

fig. 3A shows a side view of the telephone in fig. 1 having press buttons,

fig. 3B is a side view of an alternative embodiment having a multipole button,

fig. 3C is a side view of another alternative embodiment having a function key joystick, and

fig. 4 is a diagram of a layered menu structure according to the invention.

Detailed description of preferred embodiments

The invention relates to handheld devices such as electronic game devices, mobile telephones, pagers, communicators, smart phones, electronic organisers, MP3 players, and Bluetooth® devices. It will also be possible to use the invention in stationary and laptop computers. The invention will be described in relation to a mobile telephone, but the invention is equally applicable to all devices requiring easy handling of soft keys.

As is mentioned in the introduction, there is a trend to build handheld devices ever smaller. Fig. 1 shows an example of a mobile telephone, which is the size as small as a thick pen. The device 1 has room only for a display 2 and no ordinary keypad. Instead there is a joystick 3 for navigating and selecting in the displayed menu 7. This menu could be the main default menu, having various symbols or icons. As is known, the joystick may be operated to mark an icon, such as the envelope shown in the figure which usually is associated with the messages menu. By clicking or operating the device in a suitable way the user may jump to the messages menu. A control means (not shown) stores the menus and controls the display in response to the operations of the joystick and function key means as discussed below.

No keypad with the twelve ordinary numbers 0-9 and symbols *# is shown on the display. Instead, the present invention provides a shortcut to a small menu, in this application referred to as a minimenu, in which preferably four soft key buttons are displayed. This makes it possible to make a quick selection by means of the joystick. Figs. 2A through C show three possible minimenus covering the twelve ordinary number keys and * and # as well as the letters A through Z (including special characters such as Å, Ä, Æ etc) and other symbols and punctuation marks. The minimenus enable emulation of the whole keypad. The minimenus are caused to be displayed by operating a special function key means.

In the first embodiment of the invention, the function key means consists of two press buttons 4A and 4B. The two buttons have three selectable states by depressing one button, the other or both simultaneously (in addition to the rest state when no button is depressed). It is also possible to use three or more

separate buttons for causing display of any desired number of minimenus.

In fig. 2A a first minimenu 8A is displayed by pressing only press button 4A. The minimenu 8A consists of four soft keys 9 respectively used for accessing the numbers and letters 2 ABC, 3 DEF, 4 GIH and 5 JKL.

5 Fig. 2B shows the corresponding menu 8B, which is displayed by pressing on the press button 4B. The minimenu 8B consists of the soft key buttons for accessing the numbers and letters 6 MNO, 7 PQRS, 8 TUV and 9 WXYZ.

Fig. 2C shows the corresponding menu 8AB, which is displayed by pressing on both press buttons 4A and 4B simultaneously. The minimenu 8AB consists
10 of the soft key buttons for accessing the numbers and characters 1, 0, *, #.

When the phone is in the normal mode, the telephone is ready for dialling a telephone number. To select the number 2, the user should make the following operations. First depress press button 4A to display the minimenu 8A. Then move the joystick 3 to the left once. Number 2 is now selected and is preferably
15 displayed on another part of the display (not shown). If the next number is a 0 (zero), the user should depress both press buttons 4A and 4B simultaneously, and then click once to the right. When the whole number is written, the user can place the call by e.g. depressing the joystick. Also, erasing of erroneously selected numbers could be arranged in a straightforward manner.

20 When the telephone is in a text entering mode, such as if the user is in the messages menu, the function of the soft keys will be slightly different. If the message to be written starts with an H (for "Hello"). the user should take the following actions. First depress press button 4A to display the minimenu 8A. Then the user should move the joystick upwards twice to write H. Similarly, the
25 soft key 2 produces A with one click, B with two clicks, C with three clicks, Å with four clicks, Ä with five clicks, etc as is common in the art. The number 2 is further down the line in text entering mode.

This way of text entering could be combined with a text editor or text prediction program (e.g. T9), which helps the user to quickly select whole
30 words.

The function of the soft keys 4A and 4B are summarised in the following table.

Pressed function keys	Joystick selection
- none -	Ordinary functionality in main menu
A key	\leftarrow = 2, abc \rightarrow = 3, def \uparrow = 4, ghi \downarrow = 5, jkl
B key	\leftarrow = 6. mno \rightarrow = 7, pqrs \uparrow = 8 tuv \downarrow = 9 wxyz
A & B key	\leftarrow = 1 \rightarrow = 0, + \uparrow = * \downarrow = #

Generally, the function key means should have three selectable states to select three minimenus, and each minimenu should have four selectable keys which enables selection of $3 \times 4 = 12$ keys.

The function keys 4A and 4B are suitably located so that they can be operated with the user's forefinger and thumb without moving the fingers. The device in fig. 1 is suitably held with the right hand operating the joystick 3 and with the forefinger of the left hand operating the top press button 4A and the thumb operating the lower press button 4B. The location of the buttons is also shown in fig. 3A, showing the lower press button 4B and the joystick 3. In other words, the joystick 3 is located on the same side as the display 2 and the function keys 4A and 4B are located on opposite sides at a right angle to the display 2.

Fig 3B. shows a side view of an alternative embodiment of the invention. The function key means consists here of a multipole button 5, which is displaceable to the right, to the left and upwards. Thus, this function key also has three selectable states for accessing the three minimenus 8A, 8B and 8AB. This multipole key 5 is suitably located on a side at a right angle to the display 2.

Fig. 3C shows still another embodiment of the invention. The function key means consists here of a second joystick 6, which is displaceable to the right, to

the left, upwards and possibly downwards. Thus, this function key also has (at least) three selectable states for accessing the three minimenus 8A, 8B and 8AB. This second joystick 6 is suitably located on a side at a right angle to the display 2. The joystick may have four or more selectable states. Even though only three states are deemed suitable for the twelve number keys, further states could be useful in other menus.

For instance, when the invention is used in a game device, any number of states associated with different minimenus could be useful.

In principle, the minimenus 8A, 8B and 8AB could be shown in the main default menu 7 as icons of their own, but this is not considered necessary and also takes space from the other symbols to be shown on the menu. A user will learn how to operate the function keys to display the minimenus e.g. from the manual supplied with the device. By practising and using trial and error the user will then quickly learn by heart how to operate the function keys.

Fig. 4 shows a diagram of the organisation of the menus and minimenus in a hierarchical structure. The main menu 7 is associated with the minimenus A, B and AB. A minimenus is selected by operating the function key means as discussed above. Then in each minimenus, the respective soft key is selected by means of the joystick 3. There may exist sub-menus 7' below the main menu, e.g. the messages menu. Other minimenus can be associated with the sub-menus. The actual functions of the soft keys in these minimenus will be different but are handled in the same way.

The invention is also applicable in a device with a normal size for a mobile telephone, but with a large display not leaving any room for a keypad or with a touch screen key pad. The invention can also be used as a complement to an ordinary device with a normal keypad or with a retractable or foldable keypad.

The device of the invention can also be provided with a USB system bus input or other infrared (IR) or radio interfaces for inputting phone books, SMS templates and other data e.g. from a computer. The device can also be provided with a connection for an attachable keyboard.

The invention may be implemented with various combinations of hardware and software. The scope of the invention is only limited by the claims below.

CLAIMS

1. A device (1) comprising display means (2) for displaying images relating to the operation of the device and control means for controlling the display means (2) by means of a layered menu structure, and a joystick (3) for moving a cursor in menus and making selections, **characterised** in that the device (1) further comprises a function key means (4A, 4B, 5, 6), wherein the control means is adapted to command display of a minimenu (8A, 8B, 8AB) of soft keys (9) in response to operation of the function key means (4A, 4B, 5, 6), said soft keys (9) being selectable by means of the joystick (3).
2. A device according to claim 1, **characterised** in that the function key means (4A, 4B, 5, 6) is adapted to be operated into a number of states, each state being associated with a different minimenu (8A, 8B, 8AB).
3. A device according to claim 2, **characterised** in that the number of states is three, and each minimenu (8A, 8B, 8AB) comprises four soft keys.
4. A device according to claim 2, **characterised** in that said minimenus (8A, 8B, 8AB) in total comprise at least twelve keys.
5. A device according to claim 3 or 4, **characterised** in that said soft keys (9) are adapted to access the numbers 0-9 and * and #, as well as the letters A-Z.
6. A device according to any one of claims 1 to 5, **characterised** in that each soft key (9) has several functions selectable by means of the joystick (3).
7. A device according to claim 6, **characterised** in that the joystick (3) is adapted to be operated several times in the same direction for selecting different functions of the same soft key (9).
8. A device according to any one of claims 1 to 7, **characterised** in that the joystick (3) and the function key means (4A, 4B, 5, 6) are located on the device such that the joystick (3) is suitable for operating with one hand, and the function key means (4A, 4B, 5, 6) is suitable for operating with the other hand.
9. A device according to any one of claims 1 to 8, **characterised** in that the function key means is second joystick (6).

10. A device according to claim 9, **characterised** in that the function key joystick (6) has at least three selectable states.
- 5 11. A device according to claim 9 or 10, **characterised** in that the joystick (3) is located on the same side as the display (2), and the function key joystick (6) is located on a side at a right angle to the display (2).
- 10 12. A device according to any one of claims 1 to 8, **characterised** in that the function key means is a displaceable multipole key (5).
13. A device according to claim 12, **characterised** in that the multipole key (5) has at least three selectable states.
- 15 14. A device according to claim 12 or 13, **characterised** in that the joystick (3) is located on the same side as the display (2) , and the multipole key (5) is located on a side at a right angle to the display (2).
- 20 15. A device according to any one of claims 1 to 8, **characterised** in that the function key means comprises a separate press button.
16. A device according to claim 15, **characterised** in that the function key means comprises at least two separate press buttons (4A, 4B).
- 25 17. A device according to claim 16, **characterised** in that the press buttons (4A, 4B) together have at least three selectable states.
- 30 18. A device according to claim 17, **characterised** in that the press buttons (4A, 4B) together have three selectable states, a first state by pressing a first button (4A), a second state by pressing a second button (4B), and a third state by pressing both the first button (4A) and the second button (4B) simultaneously.
- 35 19. A device according to any one of claims 16 to 18, **characterised** in that the joystick (3) is located on the same side as the display (2), and in that two separate press buttons (4A, 4B) are located on opposite sides at a right angle to the display.

20. A device according to any one of the preceding claims, **characterised** in that the device is a portable telephone (1), a pager, a communicator, a smart phone, a game device, an electronic organiser, an MP3 players or a computer.

ABSTRACT

The invention relates to a device having a joystick keypad, and more particularly a device having means for replacing or complementing an ordinary physical keypad. The device (1) comprises display means (2) for displaying images relating to the
5 operation of the device and control means for controlling the display means by means of a layered menu structure, and a joystick (3) for moving a cursor in menus and making selections. The device further comprises a function key means (4A, 4B), wherein the control means is adapted to command display of a minimenu (8A) of soft keys (9) in response to operation of the function key means (4A, 4B), said
10 soft keys (9) being selectable by means of the joystick (3). The function key means may comprise two function keys or a multipole key or another joystick. A special menu of soft keys (8A) is presented when the user activates a function key (4A). The soft keys (9) are selected by means of the joystick (3).




FIG 1




FIG 2A



FIG 2B




FIG 2C




FIG 3A




FIG 3B




FIG 3C




FIG 4

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.